

PRODUCT CATALOGUE

Cast Iron Radiator ЧУГУННЫЕ РАДИАТОРЫ

World Tree Industry and Trade (Tianjin) Co., Ltd

en.wodtree.com



ROCOCCO

Item No.: RCC-500



	Weight	Height	Width	Length	Connection Pitch	Heat Output
	Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
Middle Section Средняя секция	8.4	570	180	75	500	143
Foot Section Нижняя секция	9.8	660	180	75	500	143

BAROQUE

Item No.: BRQ-600



	Weight	Height	Width	Length	Connection Pitch	Heat Output
	Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
Middle Section Средняя секция	6.9	680	136	70	600	146
Foot Section Нижняя секция	7.6	750	136	70	600	146

ATENA

Item No.: ATN-500



	Weight	Height	Width	Length	Connection Pitch	Heat Output
	Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
Middle Section Средняя секция	9.8	600	180	75	500	143
Foot Section Нижняя секция	11.8	660	180	75	500	143

RUIFENG



Item No.: RF-600, RF-500, RF-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
4.6	700	110	54	600	126
3.1	600	110	54	500	110
3	400	110	54	300	75

SHIFENG



Item No.: SF-600, SF-500, SF-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
5.4	700	100	64	600	151
4.6	600	100	64	500	126
3.2	400	100	64	300	82

XUANFENG

Item No.: XF-600, XF-500, XF-300



Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
6.0	700	100	70	600	177
5.0	688	86	64	600	154
5.2	600	100	70	500	150
4.2	588	86	64	500	132
3.4	400	100	70	300	96
2.7	388	86	64	300	87

QIFENG



Item No.: QF-600, QF-500, QF-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
5.5	700	100	72	600	151
4.8	600	100	72	500	132
3.3	400	100	72	300	88


JINGFENG



Item No.: JF-600, JF-500, JF-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
4.4	700	100	62	600	121
3.8	600	100	62	500	104
2.65	400	100	62	300	73

BOFENG



Item No.: BF-1800, BF-1600, BF-1400, BF-1000

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
9.0	1876	73	68	1800	279
8.0	1676	73	68	1600	248
7.2	1476	73	68	1400	223
5.1	1076	73	68	1000	158

BOYA



Item No.: BY-600, BY-500, BY-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
3.25	682	82	46	600	101
2.85	582	82	46	500	88
2.0	382	82	46	300	60

XIAOYA



Item No.: XY-600, XY-500, XY-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
3.25	682	82	46	600	101
2.85	582	82	46	500	88
2.0	382	82	46	300	60

SHUYA



Item No.: SY-600, SY-500, SY-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
4.6	682	64	60	600	134
3.8	582	64	60	500	125
2.6	382	64	60	300	95

SONGYA



Item No.: SOY-600, SOY-500, SOY-300

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
3.45	698	98	40	600	107
3.00	598	98	40	500	93
2.05	398	98	40	300	64

WING I

Item No.: W1-600, W1-500, W1-300



Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
4.9	686	86	62	600	153
5.2	753	86	62	600	153
4.1	586	86	62	500	131
4.4	653	86	62	500	131
2.7	386	86	62	300	86
3.0	453	86	62	300	86

WING II

Item No.: W2-600, W2-500, W2-300



Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
5.4	686	86	62	600	155
5.7	753	86	62	600	152
4.9	686	80	64	500	147
5.2	753	80	64	300	96
4.9	585	86	62	600	155
5.2	663	86	62	600	152
3.3	385	80	64	500	147
3.6	463	80	64	300	96

ITALIANO I



Item No.: IT1-650

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
5.4	712	102	60	650	158

ITALIANO II



Item No.: IT2-622, IT2-500

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
5.4	680	94	60	622	146
3.8	565	90	58	500	102

ITALIANO III



Item No.: IT3-500

Weight	Height	Width	Length	Connection Pitch	Heat Output
Вес (kg)	Высота (mm)	Ширина (mm)	Длина (mm)	Шаг подключения (mm)	Тепловыделение (W)
4.0	576	82	60	500	106



Thank You For Your Attention
Спасибо за внимание



Stephen ZHANG

WhatsApp: +86 153 0202 7445

E-mail: export2@wodtree.com

Website: en.wodtree.com